

# CR-DVBS2FTA-01

**Product Release Notes** 

Feature Release



#### Copyright

©2004-2022 Wellav Technologies Ltd. All rights reserved.

No.1, Shunchang Road, Huinan Hi-Tech Industrial Park, Zhongkai Hi-Tech Development Zone, Huizhou, Guangdong, China 516025

www.wellav.com

This publication contains confidential, proprietary, and trade secret information. No part of this document may be copied, photocopied, reproduced, translated, or reduced to any machine-readable or electronic format without prior written permission from Wellav. Information in this document is subject to change without notice and Wellav Technologies Ltd. assumes no responsibility or liability for any errors or inaccuracies. Wellav, Wellav Technologies Ltd., and the Wellav logo are trademarks or registered trademarks in the United States and other countries. All other products or services mentioned in this document are identified by the trademarks, service marks, or product names as designated by the companies who market those products. Inquiries should be made directly to those companies. This document may also have links to third-party web pages that are beyond the control of Wellav. The presence of such links does not imply that Wellav endorses or recommends the content on those pages. Wellav acknowledges the use of third-party open source software and licenses in some Wellav products. This freely available source code can be obtained by contacting Wellav Technologies Ltd.

#### **About Wellay**

Wellav Technologies Ltd. is a leading global provider of professional video delivery solutions. The company is committed to developing and manufacturing world-class video processing, monitoring equipments and solutions to help video service providers address real business challenges in video distribution via HFC and IP-based network. The company is headquartered in Huizhou, China with 500 employees in 2 operation centers and over 10 regional sales/support offices around different continents. With global service, Wellav provides system integration and technical expertise to support more than 2000 CATV, FTTH, IPTV/OTT, Satellite/Terrestrial, Broadband service providers to deliver high-quality video programs to hundred millions of viewers around the world. More information about Wellav is available at the company's website, www.wellav.com.

All trademarks and registered trademarks mentioned herein are the property of their respective owners. farg



# **Revision History**

Date	Revision	Description	Author
1/3/2022	1.0	1.4.27 Release Notes	RF
21/3/2022	1.1	1.4.200 Release Notes	RF
25/3/2022	1.2	1.5.0 Release Notes	RF
16/1/2023	1.3	1.5.6 Release Notes	RF
4/8/2023	1.4	1.6.0 Release Notes	RF



# **Table of Contents**

Feature Release V1.6.0	3 ·
Feature Release V1.5.6	5 ·
Feature Release V1.5.0	6 ·
Feature Release V1.4.200	7
Feature Release V1.4.27	8 ·



## Feature Release V1.6.0

### Release NO.

CR-DVBS2FTA-01\_V1.6.0.WVUpgrade

#### Release Date

August 10, 2023

#### **New Features**

- 1. Newly add "delete null packet" on module IP output.
- 2. Modify the maximum NIT Transport stream to 96
- 3. Newly add import/export NIT feature.
- 4. Newly add the wireline, territorial, satellite transportation system descriptor.
- 5. Newly add NIT Network ID
- 6. Newly add the TOT table editing feature.
- 7. Newly add the total bitrate statistics on status page.
- 8. Newly support delete signal channel.
- 9. Newly add the print message for the input bitrate variation on log
- 10. Newly add the feature that user could bypass the channel without scanning channel.
- 11. Newly add the feature that user could add the other PID without scanning channel.

#### Resolved Issues

- 1. Modify the channel and SI table scanning time from 12s to 120s
- Resolved the issue that the BISS parameters is not precise after importing configuring
- 3. Resolved the issue that when user is failed to export the NIT, the module could not be accessed for a while.
- 4. Resolved the issue that enable auto-scan feature, the output TS isn't recovered
- 5. Resolved the error 500 issue.



- 6. Resolved the issue that it won't show EMM PID when user scan single channel
- 7. Resolved the tuner unlocked issue.
- 8. Resolved the issue that the channel scanned progress bar could not match to the real scanning time.
- 9. Resolved the issue that enable "delete null packet" selection, the total bitrate and effective bitrate would be the same on the status.

### **Test Results**

positive

## Remaining Issues

None



# **Feature Release V1.5.6**

## Release NO.

CR-DVBS2FTA-01\_V1.5.6.WVUpgrade

### Release Date

January 16, 2023

### **New Features**

None

### Resolved Issues

1. Changed the ESPID name display style in the table in the program configuration screen.

### **Test Results**

positive

## Remaining Issues

1. When set the Pkt length to 1 or 2 and module IP output bitrate is over 120M, the actual IP output would have serious mosaic.



# **Feature Release V1.5.0**

## Release NO.

CR-DVBS2FTA-01\_V1.5.0.WVUpgrade

### Release Date

March 25, 2022

### **New Features**

1. Rebuilt the version number from V1.4.200 to V1.5.0.

### Resolved Issues

none

### **Test Results**

positive

## Remaining Issues

none



# Feature Release V1.4.200

# Release NO.

CR-DVBS2FTA-01\_V1.4.200-beta.WVUpgrade

#### Release Date

March 21, 2022

#### **New Features**

none.

#### Resolved Issues

- 1. Resolved the issue that using FTA-01A to search channel would occur the program name gibberish.
- 2. Resolved the issue that the disegc function would be abnormal after rebooting and select it later.
- 3. Resolved the issue that the maximum channel of LNB to open couldn't be more than 4.
- 4. Resolved the issue that using SNMP function and modify the parameter such as satellite frequency, symbol rate would lead to the sub-board stopped and fail to log in the network management.

#### Test Results

positive

## Remaining Issues

none



# Feature Release V1.4.27

## Release NO.

CR-DVBS2FTA-01\_V1.4.27\_S15751\_F759\_W15787\_20210924.WVUpgrade

#### Release Date

September 24, 2021

### **New Features**

- 1. Added a limit to make it only enable up to 4 LNB power.
- 2. Added a reminder if the total bitrate exceeds 900Mbps.
- 3. Optimized the menu of WebGUI.

### Resolved Issues

1. Resolved the issue that the LNB power supply can not be turned off after upgrading.

### **Test Results**

positive

# Remaining Issues

none



	Wellav Technologies Ltd.			
	No.1, Shunchang Road, Huinan Hi-Tech Industrial Park,			
	zhongkai Hi-Tech Development Zone,			
	Huizhou, Guangdong, China 516025			
WELLAV www.wellav.com				
Copyright ©2004-2022 Wellav Technologies Ltd.				