



# CE-HDMI-02C

---

Product Release Notes

Feature Release



## Copyright

©2004-2022 Wellav Technologies Ltd. All rights reserved.

No.1, Shunchang Road, Huinan Hi-Tech Industrial Park, Zhongkai Hi-Tech Development Zone, Huizhou, Guangdong, China 516025

[www.wellav.com](http://www.wellav.com)

This publication contains confidential, proprietary, and trade secret information. No part of this document may be copied, photocopied, reproduced, translated, or reduced to any machine-readable or electronic format without prior written permission from Wellav. Information in this document is subject to change without notice and Wellav Technologies Ltd. assumes no responsibility or liability for any errors or inaccuracies. Wellav, Wellav Technologies Ltd., and the Wellav logo are trademarks or registered trademarks in the United States and other countries. All other products or services mentioned in this document are identified by the trademarks, service marks, or product names as designated by the companies who market those products. Inquiries should be made directly to those companies. This document may also have links to third-party web pages that are beyond the control of Wellav. The presence of such links does not imply that Wellav endorses or recommends the content on those pages. Wellav acknowledges the use of third-party open source software and licenses in some Wellav products. This freely available source code can be obtained by contacting Wellav Technologies Ltd.

## About Wellav

Wellav Technologies Ltd. is a leading global provider of professional video delivery solutions. The company is committed to developing and manufacturing world-class video processing, monitoring equipments and solutions to help video service providers address real business challenges in video distribution via HFC and IP-based network. The company is headquartered in Huizhou, China with 500 employees in 2 operation centers and over 10 regional sales/support offices around different continents. With global service, Wellav provides system integration and technical expertise to support more than 2000 CATV, FTTH, IPTV/OTT, Satellite/Terrestrial, Broadband service providers to deliver high-quality video programs to hundred millions of viewers around the world. More information about Wellav is available at the company's website, [www.wellav.com](http://www.wellav.com).

All trademarks and registered trademarks mentioned herein are the property of their respective owners.  
farg



## Revision History

Date	Revision	Description	Author
1/3/2022	1.0	1.4.12 Release Notes	RF
25/3/2022	1.1	1.5.0 Release Notes	RF
2/12/2022	1.2	1.5.4 Release Notes	RF
16/1/2023	1.3	1.5.5 Release Notes	RF
18/4/2023	1.4	1.5.9 Release Notes	RF
25/6/2023	1.5	1.6.0 Release Notes	RF
23/11/2023	1.6	1.6.6 Release Notes	RF
29/3/2024	1.7	1.6.10 Release Notes	RF

## Table of Contents

<b>Feature Release V1.6.10</b> .....	<b>- 3 -</b>
<b>Feature Release V1.6.6</b> .....	<b>- 4 -</b>
<b>Feature Release V1.6.0</b> .....	<b>- 5 -</b>
<b>Feature Release V1.5.9</b> .....	<b>- 6 -</b>
<b>Feature Release V1.5.5</b> .....	<b>- 8 -</b>
<b>Feature Release V1.5.4</b> .....	<b>- 9 -</b>
<b>Feature Release V1.5.0</b> .....	<b>- 10 -</b>
<b>Feature Release V1.4.12</b> .....	<b>- 11 -</b>



# Feature Release V1.6.10

---

## Release NO.

CE-HDMI-02\_V1.6.10.WVUpgrade

## Release Date

March 29, 2024

## New Features

1. Modify the volume to [-20, 20]
2. Modify the GOP Size to [12, 48].

## Resolved Issues

1. Resolved the issue that after user multiplex the program to the output module, the primary and secondary channel number will be lost.
2. Resolved the issue that the AC3 bypass switch setting takes no effect.
3. Resolved the issue that when the source resolution from 1080P change to 1280P, the encoding output sometime will have no bitrate.

## Test Results

Positive

## Remaining Issues

None

# Feature Release V1.6.6

---

## Release NO.

CE-HDMI-02\_V1.6.6.WVUpgrade

## Release Date

November 25, 2023

## New Features

1. Newly add the “AC3 advanced setting” on the System tab.
2. In Status page, user could observe the input audio format.

## Resolved Issues

1. Resolved the issue that when user keep switching the audio format between PCM and AC3 on the source, the encoding output would have no audio.
2. Resolved the issue that enable the AC3 advanced setting, the encoding output would have no audio.
3. Resolved the issue that the module IP would be lost while user is configuring the parameters.
4. Resolved the issue that when looping the signal, the input detection would keep changing between PCM and AC3.

## Test Results

Positive

## Remaining Issues

None

# Feature Release V1.6.0

---

## Release NO.

CE-HDMI-02\_V1.6.0.WVUpgrade

## Release Date

June 25, 2023

## New Features

1. Rebuilt the version number from V1.5.9 to V1.6.0.

## Resolved Issues

None

## Test Results

Positive

## Remaining Issues

None

# Feature Release V1.5.9

---

## Release NO.

CE-HDMI-02\_V1.5.9.WVUpgrade

## Release Date

April 18, 2023

## New Features

1. Newly add delete null package setting.
2. Newly add AC3 Passthrough on the audio type on Basic Setting.
3. Distinguish the Level configuration selection. HD: 4.0-4.2; SD: 2.2-3.2.
4. Newly add Close GOP selection. When enable the Close GOP: IBBP/IPPP/IBP/I; when disable the Close GOP: IBBP/IBP.
5. Change the lowest video bitrate to 800kbps.

## Resolved Issues

1. Resolved the issue that when change the audio encoding format to AC3\_Passthrough for the channel and multiplex it to baseboard output, the MRD would show the audio format is MPEG1 and have no audio on the decode output.
2. Resolved the issue when the module is on the abnormal status, the NMS status would still show green light at the module.
3. Resolved the issue that when set the Level to 3.0, 3.1, 3.2, the output would all be recognized as 4.0.
4. Resolved the issue that when user change the GOP structure to IBP or IPPP, it would automatically recover to IBBP after reboot.
5. Resolved the issue that the second audio takes no effect using MIB Browser to check the MIB file.
6. Resolved the issue that the MIB file is lacking Analog selection.
7. Resolved the issue that change the encoding type to AC3\_Passthrough on Audio2, the audio2 output bitrate would be 0.





8. Resolved the issue that when the Aspect Ratio is under Auto mode, the output aspect ratio is different while the input signal is SD and HD resolution.

9. Block the under 24 frame selections.

10. Block the Baseline selection on the Profile.

11. Resolved the issue that couldn't delete the multiplexed destination on the HDMI-02 when multiplex the program to specific channels on CP-IP-02.

## Test Results

positive

## Remaining Issues

None

# Feature Release V1.5.5

---

## Release NO.

CE-HDMI-02\_V1.5.5.WVUpgrade

## Release Date

January 16, 2023

## New Features

1. For users can better use this module in the future, please don't downgrade the software version lower than V1.5.2.

## Resolved Issues

1. Resolved the issue that when the decoding ts video type is MPEG2, the CC feature would affect the transition.
2. Modify the CC feature that would be incompatible in some CE-HDMI-02 modules.

## Test Results

positive

## Remaining Issues

1. When the module is on the abnormal status (such as lost the signal), the module status indicator light would display red, but at Web GUI the device status, the module indicator light would display green light.

# Feature Release V1.5.4

---

## Release NO.

CE-HDMI-02\_V1.5.4.WVUpgrade

## Release Date

December 2, 2022

## New Features

None

## Resolved Issues

1. Change the VIXS mount mode.
2. Modify the default audio encoding type to mpeg1\_layer2

## Test Results

positive

## Remaining Issues

none

# Feature Release V1.5.0

---

## Release NO.

CE-HDMI-02\_V1.5.0.WVUpgradse

## Release Date

March 20, 2022

## New Features

1. Rebuilt the version number from V1.4.12 to V1.5.0.

## Resolved Issues

none

## Test Results

positive

## Remaining Issues

none

# Feature Release V1.4.12

---

## Release NO.

CE-HDMI-02\_V1.4.12\_S15795\_F575\_W15787\_20210927.WVUpgrade

## Release Date

January 20, 2022

## New Features

1. Optimized the debug page, to make it more convenient for R&D to do troubleshooting.

## Resolved Issues

1. Resolved the loading issue when SW system's kernel is working abnormally.

## Test Results

positive

## Remaining Issues

none

Wellav Technologies Ltd.

No.1, Shunchang Road, Huinan Hi-Tech Industrial Park,

zhongkai Hi-Tech Development Zone,

Huizhou, Guangdong, China 516025

[www.wellav.com](http://www.wellav.com)



Copyright ©2004-2022 Wellav Technologies Ltd.